

On the opportunity of spectroscopic determination of absolute atomic densities in non-equilibrium plasmas from measured relative intensities within resonance multiplets distorted by self-absorption.

B. P. Lavrov and A. S. Mikhailov

Faculty of Physics, St.-Petersburg State University, St.-Petersburg, 198904, Russia

E-mail address: lavrov@pobox.spbu.ru

(Dated: February 2, 2008)

Abstract

The opportunities of the application of the recently proposed approach in optical emission spectroscopy of non-equilibrium plasmas have been studied. The approach consists of several methods of the determination of *absolute* particle densities of atoms from measured *relative* intensities within resonance multiplets distorted by self-absorption. All available spectroscopic data concerning resonance spectral lines of atoms having multiplet ground states from boron up to gallium were analyzed. It is found that in the case of C, O, F, S and Cl atoms an application of the methods needs VUV technique, while densities of B, Al, Si, Sc, Ti, V, Co, Ni, Ga atoms may be obtained by means of the intensity measurements in UV and visible parts of emission spectra suitable for ordinary spectrometers used for optical diagnostics and monitoring of non-equilibrium plasmas including industrial plasma technologies.

The opportunities of the application of the recently proposed approach [1—3] in optical emission spectroscopy of non-equilibrium plasmas have been studied. The approach consists of several methods of the determination of absolute particle densities of atoms from measured relative intensities within resonance multiplets distorted by self-absorption. The main idea of the approach is that in the case of sufficient self-absorption for a pair of resonance lines having common upper level the ratio of intensities doesn't depend on the population density of upper level, but depends on the length of homogeneous plasma column along optical axis L , the gas temperature T , and populations of the sublevels of multiplet structure of the ground state. In the case of Boltzmann distribution over the sublevels with the temperature T , the intensity ratio depends on the temperature T and the product NL , where N is the total population of the ground state, usually close to the atomic particle density.

All available spectroscopic data concerning resonance spectral lines of atoms having multiplet ground states from Boron up to Gallium were analyzed (see Table 1). It is found that in the case of the C, O, F, S and Cl atoms an application of the methods needs VUV technique, while densities of the B, Al, Si, Sc, Ti, V, Co, Ni and Ga atoms may be obtained by means of the intensity measurements in UV and visible parts of emission spectrum suitable for ordinary middle class spectrometers used for optical diagnostics and monitoring of non-equilibrium plasmas including industrial plasma technologies. All spectroscopic data needed for experimental determination of particle density of the B, Al, Si, Sc, Ti, V, Co, Ni and Ga atoms in ionized gases and plasma are presented in the Table 2, where the λ_{ik} – is the wavelength of a spectral line in Angstroms, the ν_{ki} – its wavenumber in cm^{-1} , the E_i is energy of lower level of the line in cm^{-1} , the g_k and g_i are degeneracies of upper and lower levels, and the A_{ki} is spontaneous emission transition probability (Einstein coefficient) in 10^6s^{-1} .

The data collected in the Table 2 may be also used for computer modelling calculations of the intensity ratios as functions of the optical thickness NL and the gas temperature T (determining line broadening) under certain assumptions on the population density distribution over ground state sublevels. In the case of Boltzmann distribution corresponding to the gas temperature such calculations give the opportunity to obtain certain three dimensional nomogramms (the intensity ratio against NL and T) useful for *a priori* analysis of an applicability of the method in certain experimental conditions like in [3], as well as for simple, graphical determination of the atomic densities from measured relative line intensities like in [1].

The present work was supported by Russian Foundation for Basic Research (RFBR), Grant 06-03-32663a.

-
- [1] B.P. Lavrov, M. Osiac, A.V. Pipa, J. Röpcke, Plasma Sources Sci. Technol. **12**, 576 (2003).
 - [2] B.P. Lavrov, M.S. Ryazanov *Determination of absolute densities of B, Al, Ga and Si atoms in non-equilibrium plasmas from relative intensities in resonance multiplets distorted by reabsorption* // e-print physics/0310089 at <http://arXiv.org>
 - [3] B.P. Lavrov, M.S. Ryazanov, Optics and Spectroscopy, **98**, 220 (2005).

TABLE I: The list of first 17 elements of the Mendeleev Periodic Table, having multiplet structure of the ground states(1 - the chemical symbols of atoms, 2 - the configurations of outer electrons in the ground state, 3 - the spectroscopic serial symbols of the multiplet structure sublevels , 4 - the sublevel energies E_i (cm^{-1})).

1	2	3	4	1	2	3	4
B	$2s^2 2p$	$^2P_{1/2}$ $^2P_{3/2}$	0 15,254	Sc	$3d 4s^2$	$^2D_{3/2}$ $^2D_{5/2}$	0 168,34
C	$2s^2 2p$	$^3P_0$ $^3P_1$ $^3P_1$	0 16,4 43,4	Ti	$3d^2 4s^2$	a^3F_2 a^3F_3 $a^4F_{9/2}$	0 170,132 552,96
O	$2s^2 2p^4$	$^3P_2$ $^3P_1$ $^3P_0$	0 158,265 226,977	V	$3d^3 4s^2$	$a^4F_{3/2}$ $a^4F_{5/2}$ $a^4F_{7/2}$ $a^4F_{9/2}$	0 137,38 323,46 552,96
F	$2s^2 2p^5$	$^2P_{3/2}$ $^2P_{1/2}$	0 404,1	Co	$3p^6 3d^7 4s^2$	$a^4F_{9/2}$ $a^4F_{7/2}$ $a^4F_{5/2}$ $a^4F_{3/2}$	0 816,0 1406,84 1809,33
Al	$3s^2 3p$	$^2P_{1/2}$ $^2P_{3/2}$	0 112,061	Ni	$3d^8 (3F) 4s^2$	$^3F_4$ $^3F_3$ $^3F_2$	0 1332,164 2216,550
Si	$3s^2 3p^2$	$^3P_0$ $^3P_1$ $^3P_2$	0 77,115 223,157	Ga	$4s^2 4p$	$^2P_{1/2}$ $^2P_{3/2}$	0 826,19
S	$3s^2 3p^4$	$3P_2$ $3P_1$ $3P_0$	396,055 573.640				
Cl	$3s^2 3p^5$	$^2P_{3/2}$ $^2P_{3/2}$	0 882,3515				

TABLE II: The list of resonance lines of B, Al, Si, Sc, Ti, V, Co, Ni, Ga atoms prospective for spectroscopic diagnostics of non-equilibrium plasma.

the transitions	$\lambda_{ik}, \text{\AA}$	ν_{ki}, cm^{-1}	E_i, cm^{-1}	g_k	g_i	$A_{ki}, 10^6 \text{s}^{-1}$
B						
$3s \ ^2S_{1/2} \rightarrow 2p \ ^2P_{3/2}$	2497,723	40024,40	15,254	2	4	240
$3s \ ^2S_{1/2} \rightarrow 2p \ ^2P_{1/2}$	2496,771	40039,65	0	2	2	120
Al						
$8s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{1/2}$	2199,15	45457	0	2	2	1,75
$8s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{3/2}$	2204,59	45345,183	112,061	2	4	3,49
$6d \ ^2D_{5/2} \rightarrow 3p \ ^2P_{1/2}$	<i>2204,660</i>	45344	0	4	2	45,3
$7s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{1/2}$	2257,999	44273	0	2	2	3,77
$7s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{3/2}$	2263,731	44161,072	112,061	2	4	7,5
$5d \ ^2D_{3/2} \rightarrow 3p \ ^2P_{1/2}$	2263,462	44166	0	4	2	66
$5d \ ^2D_{3/2} \rightarrow 3p \ ^2P_{3/2}$	2269,22	44054,337	112,061	4	4	13
$4d \ ^2D_{3/2} \rightarrow 3p \ ^2P_{1/2}$	2367,052	42234	0	4	2	72
$4d \ ^2D_{3/2} \rightarrow 3p \ ^2P_{3/2}$	2373,349	42121,687	112,061	4	4	14
$4d \ ^2D_{5/2} \rightarrow 3p \ ^2P_{3/2}$	<i>2373,124</i>	42125,722	112,061	6	4	86
$6s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{1/2}$	2372,07	42144	0	2	2	4,78
$6s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{3/2}$	2378,368	42032,35	112,061	2	4	9,5
$4s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{3/2}$	3961,5201	25235,695	112,061	2	4	98
$4s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{1/2}$	3944,0060	25347,756	0	2	2	49,3
$3d \ ^2D_{3/2} \rightarrow 3p \ ^2P_{3/2}$	3092,8369	32323,392	112,061	4	4	12
$3d \ ^2D_{5/2} \rightarrow 3p \ ^2P_{3/2}$	3092,7084	32324,735	112,061	6	4	74
$3d \ ^2D_{3/2} \rightarrow 3p \ ^2P_{1/2}$	3082,1510	32435,453	0	4	2	63
$5s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{3/2}$	2660,3863	37577,346	112,061	2	4	26,4
$5s \ ^2S_{1/2} \rightarrow 3p \ ^2P_{1/2}$	2652,4758	37689,407	0	2	2	13,3
$y \ ^2D_{3/2} \rightarrow 3p \ ^2P_{3/2}$	2575,3962	38817,352	112,061	4	4	4,4
$y \ ^2D_{5/2} \rightarrow 3p \ ^2P_{3/2}$	<i>2575,0940</i>	38821,907	112,061	6	4	28
$y \ ^2D_{3/2} \rightarrow 3p \ ^2P_{1/2}$	2567,9823	38929,413	0	4	2	23
Si						
$3p^3 \ ^3D_1 \rightarrow 3p^2 \ ^3P_0$	2207,98	45276	0	3	1	31,1
$3p^3 \ ^3D_1 \rightarrow 3p^2 \ ^3P_1$	2211,74	45199,073	77,115	3	3	23,2
$3p^3 \ ^3D_1 \rightarrow 3p^2 \ ^3P_2$	2218,91	45053,031	223,157	3	5	1,5
$3p^3 \ ^3D_2 \rightarrow 3p^2 \ ^3P_1$	2210,89	45216,514	77,115	5	3	41,6
$3p^3 \ ^3D_2 \rightarrow 3p^2 \ ^3P_2$	2218,06	45070,472	223,157	5	5	13,8
$3p4s \ ^3P_1 \rightarrow 3p^2 \ ^3P_2$	2528,508	39537,128	223,157	3	5	77
$3p4s \ ^3P_0 \rightarrow 3p^2 \ ^3P_1$	2524,108	39606,046	77,115	1	3	181
$3p4s \ ^3P_1 \rightarrow 3p^2 \ ^3P_1$	2519,202	39683,170	77,115	3	3	45,6
$3p4s \ ^3P_2 \rightarrow 3p^2 \ ^3P_2$	2516,112	39731,896	223,157	5	5	121
$3p4s \ ^3P_1 \rightarrow 3p^2 \ ^3P_0$	2514,316	39760,285	0	3	1	61
$3p4s \ ^3P_2 \rightarrow 3p^2 \ ^3P_1$	2506,897	39877,938	77,115	5	3	46,6
$3p4s \ ^1P_1 \rightarrow 3p^2 \ ^3P_2$	2452,118	40768,731	223,157	3	5	0,60
$3p4s \ ^1P_1 \rightarrow 3p^2 \ ^3P_1$	2443,364	40914,773	77,115	3	3	0,69
$3p4s \ ^1P_1 \rightarrow 3p^2 \ ^3P_0$	2438,768	40991,888	0	3	1	0,74
Sc						
$3d4s(^3D)4p \ ^4F_{3/2} \rightarrow 3d4s^2 \ ^2D_{3/2}$	6378,83	15673	0	4	4	0,16

the transitions	λ_{ik} , Å	ν_{ki} , cm ⁻¹	E_i , cm ⁻¹	g_k	g_i	A_{ki} , 10 ⁶ s ⁻¹
$3d4s(^3D)4p\ ^4F_{3/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	6448,08	15504	168,34	4	6	0,026
$3d4s(^3D)4p\ ^4F_{5/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	6344,83	15757	0	6	4	0.024
$3d4s(^3D)4p\ ^4F_{5/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	6413,35	15588,23	168,34	6	6	0,13
$3d4s(^3D)4p\ ^4D_{3/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	6239,8	16022	0	4	4	0,71
$3d4s(^3D)4p\ ^4D_{3/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	6305,99	15853,48	168,34	4	6	0,087
$3d4s(^3D)4p\ ^4D_{5/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	6193,7	16141	0	6	4	0.036
$3d^2(^3F)4p\ ^2F_{5/2} \rightarrow 3d^2(^1D)4s\ ^2D_{5/2}$	6193,7	16141,03	17012,76	6	6	-
$3d4s(^3D)4p\ ^4D_{5/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	6258,9	15972,72	168,34	6	6	0,45
$3d4s(^3D)4p\ ^2D_{5/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	6239,44	16023	0	6	4	0,152
$3d4s(^3D)4p\ ^2D_{5/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	6305,65	15854,39	168,34	6	6	1,61
$3d4s(^3D)4p\ ^2D_{3/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	6210,66	16097	0	4	4	1,28
$3d4s(^3D)4p\ ^2D_{3/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	6276,28	15928,56	168,34	4	6	0,105
$3d4s(^1D)4p\ ^2F_{5/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	4753,165	21033	0	6	4	1,08
$3d4s(^1D)4p\ ^2F_{5/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	4791,52	20864,41	168,34	6	6	0,197
$3d4s(^3D)4p\ ^2D_{3/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	4020,387	24866	0	4	4	163
$3d4s(^3D)4p\ ^2D_{3/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	4047,797	24697,83	168,34	4	6	15,4
$3d4s(^3D)4p\ ^2F_{5/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	3907,484	25585	0	6	4	166
$3d4s(^3D)4p\ ^2F_{5/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	3933,375	25416,3	168,34	6	6	16,2
$3d4s^2(^3D)4p\ ^2P_{3/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	3255,676	30707	0	4	4	32
$3d4s^2(^3D)4p\ ^2P_{3/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	3273,628	30538,32	168,34	4	6	281
$3d4s^2(^3D)4p\ ^2D_{5/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	3996,601	25014	0	6	4	16,5
$3d4s^2(^3D)4p\ ^2D_{5/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	4023,678	24845,87	168,34	6	6	165
$3d^2(^3F)4p\ ^2F_{5/2} \rightarrow 3d4s^2\ ^2D_{3/2}$	3015,36	33154	0	6	4	78
$3d^2(^3F)4p\ ^2F_{5/2} \rightarrow 3d4s^2\ ^2D_{5/2}$	3030,759	32985,45	168,34	6	6	10
Ti						
$3s^3(a^2D)4p\ s^3D_2 \rightarrow 3d^24s^2\ a^3F_2$	2519,04	39686	0	5	5	5,9
$3s^3(a^2D)4p\ s^3D_2 \rightarrow 3d^24s^2\ a^3F_3$	2529,85	39515,97	170,132	5	7	38
$3s^3(a^2D)4p\ s^3D_3 \rightarrow 3d^24s^2\ a^3F_3$	2527,98	39545,305	170,132	7	7	6,8
$3s^3(a^2D)4p\ s^3D_3 \rightarrow 3d^24s^2\ a^3F_4$	2541,92	39328,563	386,874	7	9	43
$3d^3(^2G)4p\ t^3F_4 \rightarrow 3d^24s^2\ a^3F_3$	2596,58	38500,578	170,132	9	7	6,9
$3d^3(^2G)4p\ t^3F_4 \rightarrow 3d^24s^2\ a^3F_4$	2611,28	38283,836	386,874	9	9	64
$3d^3(^2G)4p\ t^3F_2 \rightarrow 3d^24s^2\ a^3F_2$	2599,92	38451	0	5	5	67
$3d^3(^2G)4p\ t^3F_2 \rightarrow 3d^24s^2\ a^3F_3$	2611,48	38281,166	170,132	5	7	33
$3d^3(^2G)4g\ t^3F_3 \rightarrow 3d^24s^2\ a^3F_2$	2593,64	38544	0	7	5	6,9
$3d^3(^2G)4g\ t^3F_3 \rightarrow 3d^24s^2\ a^3F_3$	2605,15	38374,25	170,132	7	7	64
$3d^3(^2G)4g\ t^3F_3 \rightarrow 3d^24s^2\ a^3F_4$	2619,94	38157,51	386,874	7	9	21
$3d^2(^3P)4s4p(^1P)\ u^3D_3 \rightarrow 3d^24s^2\ a^3F_3$	2631,54	37989,58	170,132	7	7	17
$3d^2(^3P)4s4p(^1P)\ u^3D_3 \rightarrow 3d^24s^2\ a^3F_4$	2646,64	37772,84	386,874	7	9	150
$3d^2(^3P)4s4p(^1P)\ u^3D_2 \rightarrow 3d^24s^2\ a^3F_2$	2632,42	37977	0	5	5	27
$3d^2(^3P)4s4p(^1P)\ u^3D_2 \rightarrow 3d^24s^2\ a^3F_3$	2644,26	37806,65	170,132	5	7	140
$3d^2(^1G)4s4p(^3P)\ v^3F_3 \rightarrow 3d^24s^2\ a^3F_2$	2933,55	34079	0	7	5	9,6
$3d^2(^1G)4s4p(^3P)\ v^3F_3 \rightarrow 3d^24s^2\ a^3F_3$	2948,26	33908,448	170,132	7	7	93
$3d^2(^1G)4s4p(^3P)\ v^3F_3 \rightarrow 3d^24s^2\ a^3F_4$	2967,22	33691,706	386,874	7	9	11
$3d^2(^1G)4s4p(^3P)\ v^3F_4 \rightarrow 3d^24s^2\ a^3F_3$	2937,32	34034,839	170,132	9	7	7,7
$3d^2(^1G)4s4p(^3P)\ v^3F_4 \rightarrow 3d^24s^2\ a^3F_4$	2956,13	33818,097	386,874	9	9	97

the transitions	$\lambda_{ik}, \text{\AA}$	ν_{ki}, cm^{-1}	E_i, cm^{-1}	g_k	g_i	$A_{ki}, 10^6 \text{s}^{-1}$
$3d^2(^1G)4s4p(^3P) v^3F_2 \rightarrow 3d^24s^2 a^3F_2$	2942	33981	0	5	5	100
$3d^2(^1G)4s4p(^3P) v^3F_2 \rightarrow 3d^24s^2 a^3F_3$	2956,8	33810,507	170,132	5	7	18
$3d^3(^4F)4p w^3G_3 \rightarrow 3d^24s^2 a^3F_2$	3186,45	31374	0	7	5	80
$3d^3(^4F)4p w^3G_3 \rightarrow 3d^24s^2 a^3F_3$	3203,83	31203,669	170,132	7	7	7,2
$3d^3(^4F)4p w^3G_4 \rightarrow 3d^24s^2 a^3F_3$	3191,99	31319,319	170,132	9	7	85
$3d^3(^4F)4p w^3G_4 \rightarrow 3d^24s^2 a^3F_4$	3214,24	31102,577	386,874	9	9	6,5
$3d^24s^2(^1G)4s4p(^3P) x^3G_3 \rightarrow 3d^24s^2 a^3F_2$	3341,88	29915	0	7	5	65
$3d^24s^2(^1G)4s4p(^3P) x^3G_3 \rightarrow 3d^24s^2 a^3F_4$	3385,66	29527,846	386,874	7	9	5,2
$3d^24s^2(^1G)4s4p(^3P) x^3G_4 \rightarrow 3d^24s^2 a^3F_3$	3354,64	29800,946	170,132	9	7	69
$3d^24s^2(^1G)4s4p(^3P) x^3G_4 \rightarrow 3d^24s^2 a^3F_4$	3379,22	29584,204	386,874	9	9	6,2
$3d^2(^3F)4s4p(^1P) w^3D_2 \rightarrow 3d^24s^2 a^3F_2$	3358,28	29769	0	5	5	7,6
$3d^2(^3F)4s4p(^1P) w^3D_2 \rightarrow 3d^24s^2 a^3F_3$	3377,48	29598,523	170,132	5	7	69
$3d^2(^3F)4s4p(^1P) y^3G_3 \rightarrow 3d^24s^2 a^3F_2$	3635,46	27499	0	7	5	80,4
$3d^2(^1G)4s4p(^3p) v^3F_3 \rightarrow 3d^24s^2 a^3F_3$	3658,1	27328,843	170,132	7	7	5,83
$3d^2(^1G)4s4p(^3p) v^3F_3 \rightarrow 3d^24s^2 a^3F_4$	3687,35	27112,101	386,874	7	9	0,35
$3d^2(^3F)4s4p(^1P) y^3G_4 \rightarrow 3d^24s^2 a^3F_3$	3642,68	27444,535	170,132	9	7	77,4
$3d^2(^3F)4s4p(^1P) y^3G_4 \rightarrow 3d^24s^2 a^3F_4$	3671,67	27227,793	386,874	9	9	4,59
$3d^2(^1D)4s4p(^3P) x^3D_2 \rightarrow 3d^24s^2 a^3F_2$	3646,2	27418	0	5	5	2,6
$3d^2(^1D)4s4p(^3P) x^3D_2 \rightarrow 3d^24s^2 a^3F_3$	3668,97	27247	170,132	5	7	5,4
$3d^2(^1D)4s4p(^3P) x^3D_3 \rightarrow 3d^24s^2 a^3F_2$	3637,97	27480	0	7	5	0,93
$3d^2(^1D)4s4p(^3P) x^3D_3 \rightarrow 3d^24s^2 a^3F_3$	3660,63	27309,915	170,132	7	7	3
$3d^2(^1D)4s4p(^3P) x^3D_3 \rightarrow 3d^24s^2 a^3F_4$	3689,91	27093,173	386,874	7	9	3,53
$3d^2(^1D)4s4p(^3P) x^3F_4 \rightarrow 3d^24s^2 a^3F_3$	3722,57	26855,52	170,132	9	7	3,4
$3d^2(^1D)4s4p(^3P) x^3F_4 \rightarrow 3d^24s^2 a^3F_4$	3752,86	26638,778	386,874	9	9	50,4
$3d^2(^1D)4s4p(^3P) x^3F_2 \rightarrow 3d^24s^2 a^3F_2$	3729,82	26803	0	5	5	42,7
$3d^2(^1D)4s4p(^3P) x^3F_2 \rightarrow 3d^24s^2 a^3F_3$	3753,64	26633,285	170,132	5	7	8,2
$3d^2(^3F)4s4p(^1P) y^3F_3 \rightarrow 3d^24s^2 a^3F_2$	3962,85	25227	0	7	5	4,13
$3d^2(^3F)4s4p(^1P) y^3F_3 \rightarrow 3d^24s^2 a^3F_3$	3989,76	25057,085	170,132	7	7	37,9
$3d^2(^3F)4s4p(^1P) y^3F_3 \rightarrow 3d^24s^2 a^3F_4$	4024,57	24840,343	386,874	7	9	6,14
$3d^2(^3P)4s4p(^3P) y^5D_3 \rightarrow 3d^24s^2 a^3F_3$	3900,96	25627,47	170,132	7	7	1,28
$3d^2(^3P)4s4p(^3P) y^5D_3 \rightarrow 3d^24s^2 a^3F_4$	3934,24	25410,73	386,874	7	9	0,45
$3d^2(^3P)4s4p(^3P) z^3P_2 \rightarrow 3d^24s^2 a^3F_2$	3921,42	25494	0	5	5	2,15
$3d^2(^3P)4s4p(^3P) z^3P_2 \rightarrow 3d^24s^2 a^3F_3$	3947,78	25323,59	170,132	5	7	9,6
$3d^2(^3F)4s4p(^1P) y^3F_3 \rightarrow 3d^24s^2 a^3F_2$	3962,85	25227	0	7	5	4,13
$3d^2(^3F)4s4p(^1P) y^3F_3 \rightarrow 3d^24s^2 a^3F_3$	3989,76	25057,085	170,132	7	7	37,9
$3d^2(^3F)4s4p(^1P) y^3F_3 \rightarrow 3d^24s^2 a^3F_4$	4024,57	24840,343	386,874	7	9	6,14
$3d^2(^3F)4s4p(^1P) y^3F_4 \rightarrow 3d^24s^2 a^3F_3$	3964,27	25218,202	170,132	9	7	3,09
$3d^2(^3F)4s4p(^1P) y^3F_4 \rightarrow 3d^24s^2 a^3F_4$	3998,64	25001,46	386,874	9	9	40,8
$3d^2(^3F)4s4p(^1P) y^3F_2 \rightarrow 3d^24s^2 a^3F_2$	3981,76	25107	0	5	5	37,6
$3d^2(^3F)4s4p(^1P) y^3F_2 \rightarrow 3d^24s^2 a^3F_3$	4008,93	24937,285	170,132	5	7	7,03
$3d^2(^3P)4s4p(^3P) z^5S_2 \rightarrow 3d^24s^2 a^3F_2$	3982,48	25103	0	5	5	4,5
$3d^2(^3P)4s4p(^3P) z^5S_2 \rightarrow 3d^24s^2 a^3F_3$	4009,66	24932,75	170,132	5	7	1,21
$3d^2(^3F)4s4p(^3P) z^3G_3 \rightarrow 3d^24s^2 a^3F_2$	4656,47	21469	0	7	5	1,99
$3d^2(^3F)4s4p(^3P) z^3G_3 \rightarrow 3d^24s^2 a^3F_3$	4697,68	21299,362	170,132	7	7	0,085
$3d^2(^3F)4s4p(^3P) z^3G_4 \rightarrow 3d^24s^2 a^3F_3$	4667,59	21418,364	170,132	9	7	2,18

the transitions	$\lambda_{ik}, \text{\AA}$	ν_{ki}, cm^{-1}	E_i, cm^{-1}	g_k	g_i	$A_{ki}, 10^6 s^{-1}$
$3d^2(^3F)4s4p(^3P) z^3G_4 \rightarrow 3d^24s^2 a^3F_4$	4715,3	21201,622	386,874	9	9	0,069
$3d^2(^3F)4s4p(^3P) z^3D_2 \rightarrow 3d^24s^2 a^3F_2$	4997,10	20006	0	5	5	0,47
$3d^2(^3F)4s4p(^3P) z^3D_2 \rightarrow 3d^24s^2 a^3F_3$	5039,95	19835,900	170,132	5	7	3,89
$3d^2(^3F)4s4p(^3P) z^3D_3 \rightarrow 3d^24s^2 a^3F_3$	5009,65	19955,923	170,132	7	7	0,209
$3d^2(^3F)4s4p(^3P) z^3D_3 \rightarrow 3d^24s^2 a^3F_4$	5064,66	19739,181	386,874	7	9	3,79
$3d^2(^3F)4s4p(^3P) z^3F_3 \rightarrow 3d^24s^2 a^3F_2$	5147,48	19422	0	7	5	0,35
$3d^2(^3F)4s4p(^3P) z^3F_3 \rightarrow 3d^24s^2 a^3F_3$	5192,98	19251,444	170,132	7	7	3,49
$3d^2(^3F)4s4p(^3P) z^3F_3 \rightarrow 3d^24s^2 a^3F_4$	5252,11	19034,702	386,874	7	9	0,123
$3d^2(^3F)4s4p(^3P) z^3F_4 \rightarrow 3d^24s^2 a^3F_3$	5152,20	19403,836	170,132	9	7	0,264
$3d^2(^3F)4s4p(^3P) z^3F_4 \rightarrow 3d^24s^2 a^3F_4$	5210,39	19187,094	386,874	9	9	3,57
$3d^2(^3F)4s4p(^3P) z^3F_2 \rightarrow 3d^24s^2 a^3F_2$	5173,75	19323	0	5	5	3,8
$3d^2(^3F)4s4p(^3P) z^3F_2 \rightarrow 3d^24s^2 a^3F_3$	5219,71	19152,856	170,132	5	7	0,25
$3d^2(^3F)4s4p(^3P) z^5D_3 \rightarrow 3d^24s^2 a^3F_3$	5426,26	18423,86	170,132	7	7	0,0319
$3d^2(^3F)4s4p(^3P) z^5D_3 \rightarrow 3d^24s^2 a^3F_4$	5490,84	18207,12	386,874	7	9	0,014
V						
$3d^3(^4F)4s4p(^1P) w^4F_{7/2} \rightarrow 3d^34s^2 a^4F_{5/2}$	3043,12	32851,46	137,38	8	6	23
$3d^3(^4F)4s4p(^1P) w^4F_{7/2} \rightarrow 3d^34s^2 a^4F_{7/2}$	3060,46	32665,38	323,46	8	8	140
$3d^3(^4F)4s4p(^1P) w^4F_{7/2} \rightarrow 3d^34s^2 a^4F_{9/2}$	3082,11	32435,88	552,96	8	10	21
$3d^3(^4F)4s4p(^1P) w^4F_{5/2} \rightarrow 3d^34s^2 a^4F_{3/2}$	3043,56	32847	0	6	4	18
$3d^3(^4F)4s4p(^1P) w^4F_{5/2} \rightarrow 3d^34s^2 a^4F_{5/2}$	3056,33	32709,44	137,38	6	6	130
$3d^3(^4F)4s4p(^1P) w^4F_{9/2} \rightarrow 3d^34s^2 a^4F_{7/2}$	3044,94	32831,84	323,46	10	8	12
$3d^3(^4F)4s4p(^1P) w^4F_{9/2} \rightarrow 3d^34s^2 a^4F_{9/2}$	3066,38	32602,34	552,96	10	10	210
$3d^3(^4F)4s4p(^1P) x^4G_{7/2} \rightarrow 3d^34s^2 a^4F_{5/2}$	3183,41	31403,77	137,38	8	6	240
$3d^3(^4F)4s4p(^1P) x^4G_{7/2} \rightarrow 3d^34s^2 a^4F_{7/2}$	3202,38	31217,69	323,46	8	8	40
$3d^3(^4F)4s4p(^1P) x^4G_{9/2} \rightarrow 3d^34s^2 a^4F_{7/2}$	3183,98	31398,25	323,46	10	8	250
$3d^3(^4F)4s4p(^1P) x^4G_{9/2} \rightarrow 3d^34s^2 a^4F_{9/2}$	3207,41	31168,78	552,96	10	10	26
$3d^4(^5D)4p y^4D_{3/2} \rightarrow 3d^34s^2 a^4F_{3/2}$	3808,52	26249	0	4	4	14,8
$3d^4(^5D)4p y^4D_{3/2} \rightarrow 3d^34s^2 a^4F_{5/2}$	3828,56	26112,1	137,38	4	6	53,3
$3d^4(^5D)4p y^4D_{5/2} \rightarrow 3d^34s^2 a^4F_{5/2}$	3813,49	26215,27	137,38	6	6	11,9
$3d^4(^5D)4p y^4D_{5/2} \rightarrow 3d^34s^2 a^4F_{7/2}$	3840,75	26029,19	323,46	6	8	54,8
$3d^4(^5D)4p y^4D_{7/2} \rightarrow 3d^34s^2 a^4F_{7/2}$	3822,01	26156,83	323,46	8	8	8,1
$3d^4(^5D)4p y^4D_{7/2} \rightarrow 3d^34s^2 a^4F_{9/2}$	3855,37	25927,33	552,96	8	10	57,8
$3d^3(^4F)4s4p(^3P) z^2G_{9/2} \rightarrow 3d^34s^2 a^4F_{7/2}$	3841,89	26021,44	323,46	10	8	0,95
$3d^3(^4F)4s4p(^3P) z^2G_{9/2} \rightarrow 3d^34s^2 a^4F_{9/2}$	3876,09	25791,94	552,96	10	10	14,8
$3d^4(^5D)4p y^4F_{5/2} \rightarrow 3d^34s^2 a^4F_{3/2}$	3844,44	26004	0	6	4	6
$3d^4(^5D)4p y^4F_{5/2} \rightarrow 3d^34s^2 a^4F_{5/2}$	3864,86	25866,85	137,38	6	6	27
$3d^4(^5D)4p y^4F_{5/2} \rightarrow 3d^34s^2 a^4F_{7/2}$	3892,86	25680,77	323,46	6	8	8,2
$3d^4(^5D)4p y^4F_{7/2} \rightarrow 3d^34s^2 a^4F_{5/2}$	3847,33	25984,7	137,38	8	6	4,8
$3d^4(^5D)4p y^4F_{7/2} \rightarrow 3d^34s^2 a^4F_{7/2}$	3875,08	25798,62	323,46	8	8	23,6
$3d^4(^5D)4p y^4F_{7/2} \rightarrow 3d^34s^2 a^4F_{9/2}$	3909,89	25569,12	552,96	8	10	4,3
$3d^4(^5D)4p y^4F_{3/2} \rightarrow 3d^34s^2 a^4F_{3/2}$	3855,37	25931	0	4	4	33
$3d^4(^5D)4p y^4F_{3/2} \rightarrow 3d^34s^2 a^4F_{5/2}$	3875,9	25793,17	137,38	4	6	8,3
$3d^3(^4F)4s4p(^3P) z^2G_7(7/2) \rightarrow 3d^34s^2 a^4F_{5/2}$	3862,22	25884,54	137,38	8	6	1,13
$3d^3(^4F)4s4p(^3P) z^2G_7(7/2) \rightarrow 3d^34s^2 a^4F_{7/2}$	3890,18	25698,46	323,46	8	8	6,6
$3d^3(^4F)4s4p(^3P) z^2G_7(7/2) \rightarrow 3d^34s^2 a^4F_{9/2}$	3925,24	25468,96	552,96	8	10	0,97

the transitions	λ_{ik} , Å	ν_{ki} , cm ⁻¹	E_i , cm ⁻¹	g_k	g_i	A_{ki} , 10 ⁶ s ⁻¹
$3d^4(^5D)4p\ y^4F_{9/2} \rightarrow 3d^34s^2\ a^4F_{7/2}$	3867,6	25848,46	323,46	10	8	2,54
$3d^4(^5D)4p\ y^4F_{9/2} \rightarrow 3d^34s^2\ a^4F_{9/2}$	3902,25	25618,96	552,96	10	10	26,8
$3d^3(^4F)4s4p(^3P)\ z^4F_{7/2} \rightarrow 3d^34s^2\ a^4F_{5/2}$	4306,21	23215,72	137,38	8	6	1,2
$3d^3(^4F)4s4p(^3P)\ z^4F_{7/2} \rightarrow 3d^34s^2\ a^4F_{7/2}$	4341,01	23029,64	323,46	8	8	5
$3d^3(^4F)4s4p(^3P)\ z^2G(5/2) \rightarrow 3d^34s^2\ a^4F_{3/2}$	4307,18	23211	0	6	4	1,11
$3d^3(^4F)4s4p(^3P)\ z^2G(5/2) \rightarrow 3d^34s^2\ a^4F_{5/2}$	4332,82	23073,16	137,38	6	6	4,6
$3d^3(^4F)4s4p(^3P)\ z^2G(5/2) \rightarrow 3d^34s^2\ a^4F_{7/2}$	4368,04	22887,08	323,46	6	8	1,01
$3d^3(^4F)4s4p(^3P)\ z^4F_{9/2} \rightarrow 3d^34s^2\ a^4F_{9/2}$	4352,87	22966,91	552,96	10	10	5,8
$3d^3(^4F)4s4p(^3P)\ z^4F_{9/2} \rightarrow 3d^34s^2\ a^4F_{7/2}$	4309,8	23196,41	323,46	10	8	0,94
$3d^3(^4F)4s4p(^3P)\ z^4F_{3/2} \rightarrow 3d^34s^2\ a^4F_{3/2}$	4330,02	23088	0	4	4	5,2
$3d^3(^4F)4s4p(^3P)\ z^4F_{3/2} \rightarrow 3d^34s^2\ a^4F_{5/2}$	4355,94	22950	137,38	4	6	1,05
$3d^3(^4F)4s4p(^3P)\ z^4G_{5/2} \rightarrow 3d^34s^2\ a^4F_{3/2}$	4577,17	21841	0	6	4	4,75
$3d^3(^4F)4s4p(^3P)\ z^4G_{5/2} \rightarrow 3d^34s^2\ a^4F_{5/2}$	4606,15	21704,04	137,38	6	6	0,69
$3d^3(^4F)4s4p(^3P)\ z^4G_{7/2} \rightarrow 3d^34s^2\ a^4F_{5/2}$	4580,4	21826,07	137,38	8	6	4,71
$3d^3(^4F)4s4p(^3P)\ z^4G_{7/2} \rightarrow 3d^34s^2\ a^4F_{7/2}$	4619,77	21639,99	323,46	8	8	0,62
$3d^3(^4F)4s4p(^3P)\ z^4G_{9/2} \rightarrow 3d^34s^2\ a^4F_{7/2}$	4586,36	21797,61	323,46	10	8	5,1
$3d^3(^4F)4s4p(^3P)\ z^4G_{9/2} \rightarrow 3d^34s^2\ a^4F_{9/2}$	4635,18	21568,11	552,96	10	10	0,37
$3d^3(^4F)4s4p(^3P)\ z^4D_{5/2} \rightarrow 3d^34s^2\ a^4F_{3/2}$	4799,77	20828	0	6	4	0,127
$3d^3(^4F)4s4p(^3P)\ z^4D_{5/2} \rightarrow 3d^34s^2\ a^4F_{5/2}$	4831,64	20691,1	137,38	6	6	2
$3d^3(^4F)4s4p(^3P)\ z^4D_{5/2} \rightarrow 3d^34s^2\ a^4F_{7/2}$	4875,48	20505,02	323,46	6	8	7,3
$3d^3(^4F)4s4p(^3P)\ z^4D_{7/2} \rightarrow 3d^34s^2\ a^4F_{7/2}$	4827,45	20709,05	323,46	8	8	1,19
$3d^3(^4F)4s4p(^3P)\ z^4D_{7/2} \rightarrow 3d^34s^2\ a^4F_{9/2}$	4881,56	20479,55	552,96	8	10	7,7
$3d^3(^4F)4s4p(^3P)\ z^4D_{3/2} \rightarrow 3d^34s^2\ a^4F_{3/2}$	4832,43	20688	0	4	4	2,23
$3d^3(^4F)4s4p(^3P)\ z^4D_{3/2} \rightarrow 3d^34s^2\ a^4F_{5/2}$	4864,74	20550,38	137,38	4	6	7,7
Co						
$3p^63d^7(^2G)4s4p(^3P)\ w^4F_{9/2} \rightarrow 3p^63d^74s^2\ a^4F_{9/2}$	2309,02	43295	0	10	10	56
$3p^63d^7(^2G)4s4p(^3P)\ w^4F_{9/2} \rightarrow 3p^63d^74s^2\ a^4F_{7/2}$	2353,42	42479,32	816	10	8	15
$3p^63d^7(^2G)4s4p(^1P)\ x^4F_{7/2} \rightarrow 3p^63d^74s^2\ a^4F_{9/2}$	2384,86	41918	0	8	10	24
$3p^63d^7(^2G)4s4p(^1P)\ x^4F_{7/2} \rightarrow 3p^63d^74s^2\ a^4F_{7/2}$	2432,21	41102,41	816	8	8	260
$3p^63d^7(^2G)4s4p(^1P)\ x^4F_{5/2} \rightarrow 3p^63d^74s^2\ a^4F_{7/2}$	2402,06	41618,23	816	6	8	51
$3p^63d^7(^2G)4s4p(^1P)\ x^4F_{5/2} \rightarrow 3p^63d^74s^2\ a^4F_{5/2}$	2436,66	41027,39	1406,84	6	6	260
$3p^63d^7(^2G)4s4p(^1P)\ x^4F_{7/2} \rightarrow 3p^63d^74s^2\ a^4F_{9/2}$	2521,36	39649	0	8	10	300
$3p^63d^7(^2G)4s4p(^1P)\ x^4F_{7/2} \rightarrow 3p^63d^74s^2\ a^4F_{7/2}$	2574,35	38833,16	816	8	8	17
$3p^63d^7(^2G)4s4p(^1P)\ x^4F_{5/2} \rightarrow 3p^63d^74s^2\ a^4F_{7/2}$	2528,97	39529,95	816	6	8	280
$3p^63d^7(^2G)4s4p(^1P)\ x^4F_{5/2} \rightarrow 3p^63d^74s^2\ a^4F_{5/2}$	2567,35	38939,11	1406,84	6	6	30
$3p^63d^7(^2G)4s4p(^1P)\ x^4D_{3/2} \rightarrow 3p^63d^74s^2\ a^4F_{5/2}$	2535,96	39420,93	1406,84	4	6	190
$3p^63d^7(^2G)4s4p(^1P)\ x^4D_{3/2} \rightarrow 3p^63d^74s^2\ a^4F_{3/2}$	2562,15	39018,44	1809,33	4	4	39
$3p^63d^7(^4F)4s4p(^3P)\ z^4D_{7/2} \rightarrow 3p^63d^7(^2G)4s4p(^1P)\ x^4F_{9/2}$	3412,63	29295	0	8	10	12
$3p^63d^7(^4F)4s4p(^3P)\ z^4D_{7/2} \rightarrow 3p^63d^7(^2G)4s4p(^1P)\ x^4F_{7/2}$	3510,43	28478,52	816	8	8	3,8
$3p^63d^7(^4F)4s4p(^3P)\ z^4D_{5/2} \rightarrow 3p^63d^7(^2G)4s4p(^1P)\ x^4F_{7/2}$	3520,08	28400,37	816	6	8	4,6
$3p^63d^7(^4F)4s4p(^3P)\ z^4D_{5/2} \rightarrow 3p^63d^7(^2G)4s4p(^1P)\ x^4F_{5/2}$	3594,87	27809,53	1406,84	6	6	9,2
Ni						
$3d^8(^3F)4s4p(^3P)\ ^3D_3 \rightarrow 3d^8(^3F)4s^2\ ^3F_4$	2984,13	33501	0	7	9	6,6
$3d^8(^3F)4s4p(^3P)\ ^3D_3 \rightarrow 3d^8(^3F)4s^2\ ^3F_2$	3195,57	31284,272	2216,550	7	5	0,58
$3d^8(^3F)4s4p(^3P)\ ^3F_3 \rightarrow 3d^8(^3F)4s^2\ ^3F_3$	3145,72	31780,170	1332,164	7	7	0,8

the transitions	$\lambda_{ik}, \text{ \AA}$	$\nu_{ki}, \text{ cm}^{-1}$	$E_i, \text{ cm}^{-1}$	g_k	g_i	$A_{ki}, 10^6 s^{-1}$
$3d^8(^3F)4s4p(^3P) ^3F_3 \rightarrow 3d^8(^3F)4s^2 ^3F_4$	3019,14	33112	0	7	9	6,4
$3d^8(^3F)4s4p(^3P) ^3D_2 \rightarrow 3d^8(^3F)4s^2 ^3F_3$	3097,12	32278	1332,164	5	7	3,3
$3d^8(^3F)4s4p(^3P) ^3D_2 \rightarrow 3d^8(^3F)4s^2 ^3F_2$	3184,37	31394,340	2216,55	5	5	0,71
$3d^9(^3F)4s^2 ^1F_3 \rightarrow 3d^8(^3F)4s^2 ^3F_4$	3221,65	31031	0	7	9	1,6
$3d^9(^3F)4s^2 ^1F_3 \rightarrow 3d^8(^3F)4s^2 ^3F_3$	3366,17	29698	1332,164	7	7	4
$3d^9(^3F)4s^2 ^1F_3 \rightarrow 3d^8(^3F)4s^2 ^3F_2$	3469,49	28814,47	2216,55	7	5	1,3
$3d^8(^3F)4s4p(^3P) ^3G_3 \rightarrow 3d^8(^3F)4s^2 ^3F_3$	3282,7	30453,998	1332,164	7	7	0,6
$3d^8(^3F)4s4p(^3P) ^3G_3 \rightarrow 3d^8(^3F)4s^2 ^3F_2$	3380,85	29569,612	2216,55	7	5	3,8
$3d^9(^3D)4p ^3F_4 \rightarrow 3d^8(^3F)4s^2 ^3F_4$	3391,05	29481	0	9	9	6,6
$3d^9(^3D)4p ^3F_4 \rightarrow 3d^8(^3F)4s^2 ^3F_4$	3551,53	28148,825	1332,164	9	7	0,16
$3d^9(^3F)4s^2 ^3F_3 \rightarrow 3d^8(^3F)4s^2 ^3F_4$	3409,58	29321	0	7	9	0,37
$3d^9(^3F)4s^2 ^3F_3 \rightarrow 3d^8(^3F)4s^2 ^3F_3$	3571,87	27988,598	1332,164	7	7	5,2
$3d^9(^3F)4s^2 ^3F_3 \rightarrow 3d^8(^3F)4s^2 ^3F_2$	3688,42	27104,212	2216,550	7	5	0,45
$3d^9(^3F)4s^2 ^3F_2 \rightarrow 3d^8(^3F)4s^2 ^3F_3$	3413,48	29287,25	1332,164	5	7	3,8
$3d^9(^3F)4s^2 ^3F_2 \rightarrow 3d^8(^3F)4s^2 ^3F_2$	3519,77	28402,864	2216,550	5	5	4,1
$3d^9(^2D)4p ^3D_2 \rightarrow 3d^8(^3F)4s^2 ^3F_3$	3500,85	28556,313	1332,164	5	7	4,6
$3d^9(^2D)4p ^3D_2 \rightarrow 3d^8(^3F)4s^2 ^3F_2$	3612,74	27671,927	2216,550	5	5	4,2
$3d^8(^3F)4s4p(^3P) ^5G_4 \rightarrow 3d^8(^3F)4s^2 ^3F_4$	3561,75	28068	0	9	9	0,29
$3d^8(^3F)4s4p(^3P) ^5G_4 \rightarrow 3d^8(^3F)4s^2 ^3F_3$	3739,23	26735,901	1332,164	9	7	0,24
Ga						
$5s ^2S_{1/2} \rightarrow 4p ^2P_{3/2}$	4172,04	23962,34	826,19	2	4	92
$5s ^2S_{1/2} \rightarrow 4p ^2P_{1/2}$	4032,99	24788,53	0	2	2	49
$4d ^2D_{3/2} \rightarrow 4p ^2P_{3/2}$	2944,17	33955,47	826,19	4	4	27
$4d ^2D_{5/2} \rightarrow 4p ^2P_{3/2}$	2943,64	33961,66	826,19	6	4	140
$4d ^2D_{3/2} \rightarrow 4p ^2P_{1/2}$	2874,24	34781,66	0	4	2	120
$6s ^2S_{1/2} \rightarrow 4p ^2P_{3/2}$	2719,66	36758,58	826,19	2	4	23
$6s ^2S_{1/2} \rightarrow 4p ^2P_{1/2}$	2659,87	37584,77	0	2	2	12